

# Implementation of the SPP scheme in ICON and first results

Zahra Parsakhoo, Chiara Marsigli, Christoph Gebhardt

With special thanks to Axel Seifert and Daniel Reinert



### Test and development of the model perturbation



### Advancements in Ensemble forecasting



Classical parameter perturbation (CPP):

 Bacy → EPS run with 2 nests: 2km, 1km, 0.5km



### Test and development of the model perturbation



### Advancements in Ensemble forecasting



## Classical parameter perturbation (CPP):

 Bacy → EPS run with 2 nests: 2km, 1km, 0.5km

### Stochastic parameter perturbation(SPP):

- Implementation of SPP in ICON →
  - Test det. fc in ICON-LAM (D2)
  - Implementation for EPS
  - Test real case in ICON-LAM with single parameter perturbation →
    - √ microphysics
    - √ convection
    - ✓ land



### Test and development of the model perturbation



### Advancements in Ensemble forecasting



## Classical parameter perturbation (CPP):

 Bacy → EPS run with 2 nests: 2km, 1km, 0.5km

### Stochastic parameter perturbation(SPP):

- Implementation of SPP in ICON →
  - Test det. fc in ICON-LAM (D2)
  - Implementation for EPS
  - Test real case in ICON-LAM with single parameter perturbation →
    - ✓ microphysics
    - √ convection
    - ✓ land





Classical parameter perturbation (CPP)

Stochastic parameter perturbation(SPP):





Classical parameter perturbation (CPP)

Stochastic parameter perturbation(SPP):



Each uncertain parameter is set to

- default or
- boundary value of the range



The value is kept fix during the run



~18 parameters





Classical parameter perturbation (CPP)





- default or
- boundary value of the range

The value is kept fix during the run



~18 parameters



**Stochastic Pattern** 





Classical parameter perturbation (CPP)



Each uncertain parameter is set to

- default or
- boundary value of the range



The value is kept fix during the run



~18 parameters

Stochastic parameter perturbation(SPP):



Each uncertain parameter is perturbed by



- Temporally evolving via spectral space
- Spatial and temporal correlations
- Some certain properties





Classical parameter perturbation (CPP)



Each uncertain parameter is set to

- · default or
- boundary value of the range



The value is kept fix during the run



~18 parameters

Stochastic parameter perturbation(SPP):



Each uncertain parameter is perturbed by

Stochastic Pattern

- Temporally evolving via spectral space
- Spatial and temporal correlations
   Some certain properties

Length scale
Time scale
Variance
Mode





Classical parameter perturbation (CPP)



Each uncertain parameter is set to

- default or
- boundary value of the range



The value is kept fix during the run



~18 parameters

Stochastic parameter perturbation(SPP):

Each uncertain parameter is perturbed by

### Stochastic Pattern

- Temporally evolving via spectral space
- Spatial and temporal correlations
   Some certain properties

Length scale
Time scale
Variance
Mode









Classical parameter perturbation (CPP)

Stochastic parameter perturbation(SPP):



Each uncertain parameter is set to

- default or
- boundary value of the range

The value is kept fix during the run



~18 parameters


Seed different for each:


- parameter
- ensemble member
- · initialization date
- initialization time

Each uncertain parameter is perturbed by

### Stochastic Pattern

- Temporally evolving via spectral space
- Spatial and temporal correlations
   Some certain properties









Stochastic Pattern Generator (SPG)





Stochastic Pattern Generator (SPG)





By Axel Seifert and Maleen Hanst







Stochastic Pattern Generator (SPG)



By Axel Seifert and Maleen Hanst



Deterministic forecast Coupled with microphysics





Stochastic Pattern Generator (SPG)

Merged into ICON master (June 2025)




By Axel Seifert and Maleen Hanst



Deterministic forecast Coupled with microphysics

- Sensitivity tests on SPG variance: =<0.4 model is numerically stable</li>
- Test for ICON-LAM: real case study on 21.06.22 coupled to 2mom microphysics
   → For perturbing sedimentation velocity of graupel







## Stochastic Pattern Generator (SPG)



By Axel Seifert and Maleen Hanst



Deterministic forecast Coupled with microphysics

- Sensitivity tests on SPG variance: =<0.4 model is numerically stable
- Test for ICON-LAM: real case study on 21.06.22 coupled to 2mom microphysics
  - → For perturbing sedimentation velocity of graupel
- Further development for EPS





## Stochastic Pattern Generator (SPG)



By Axel Seifert and Maleen Hanst



Deterministic forecast Coupled with microphysics

perturbed = unperturbed  $\times$  exp(SPG)

- Sensitivity tests on SPG variance: =<0.4 model is numerically stable</li>
- Test for ICON-LAM: real case study on 21.06.22 coupled to 2mom microphysics
   → For perturbing sedimentation velocity of graupel
- Further development for EPS
- Coupled to convection → rdepths (Maximum allowed shallow convection depth)
- Coupled to land → cr\_bsmin (Minimum bare soil evapotranspiration resistance)



### **SPP in ICON: Technical & Theoretical Test**



#### To evaluate

- stochastic patterns and
- parameter behavior before and after SPP (both from a technical and theoretical perspective).



### **SPP in ICON: Technical & Theoretical Test**



#### To evaluate

stochastic patterns and
 parameter behavior before and after SPP
 (both from a technical and theoretical perspective).



### **SPG** properties (namelist):

```
spg_fourier_modes = .true.
spg_length_scale = 50e3 [m]
spg_time_scale = 3600 [s]
spg_spec_modes = 50
spg_variance = 0.2
```



### **SPP in ICON: Technical & Theoretical Test**



#### To evaluate

stochastic patterns and
 parameter behavior before and after SPP
 (both from a technical and theoretical perspective).





### **SPG** properties (namelist):

spg\_fourier\_modes = .true. spg\_length\_scale = 50e3 [m] spg\_time\_scale = 3600 [s] spg\_spec\_modes = 50 spg\_variance = 0.2

perturbed = unperturbed  $\times$  exp(SPG)









### PDFs of Time-Mean Perturbed Parameters








- Time-Mean PDFs: one member diverges for rdepths (slightly for cr\_bsmin)
- Single case → not robust; likely not persistent across many days
























#### **EXPERIMENTS SETUP**

**Deutscher Wetterdienst** Wetter und Klima aus einer Hand

_			and the second
	I \∧/∩-	·waw	nestin
	IVVO	vvay	11031111

Forecast duration

Forecast restart

Microphysics

Horizontal grid resolution 2km (ICON-D2)

Upper boundary 22km

Vertical levels 65

LAT-BC Forecasts (ICON-EU)

Perturbed initial conditions KENDA (ICON-D2-EPS)

24h starting on 2022062100

6h


Ensemble members 20


2mom

Turbulence **TURBDIFF** 

Land


**TERRA** 












### Box-Whisker plot:

- The larger distribution (wider min-max range) observed in CPP indicates a higher level of perturbations.
- The medians across the different experiments are very similar, showing consistency.








### Box-Whisker plot:

- The larger distribution (wider min-max range) observed in CPP indicates a higher level of perturbations.
- The medians across the different experiments are very similar, showing consistency.




Start of rain: larger spread in hourly precipitation for all EXPs.




















The difference is too small. However, for small values, SPPInd has larger impact on rain































# **Hourly precipitation at 18UTC**



9

10

8

6

- 5

Hourly precipitation (mm/h)

4


3

2

· 1

Radar German composite: ICON-D2

















Radar German composite: ICON-D2

EUCOM\_D2 valid: 20 JUN 2024 17 - 18 UTC 1h PRECIPITATION








0.03


9

Hourly precipitation (mm/h)











- **SPPInd:** pronounced local mean increase near the Adriatic (high precip).
- based on a single case → not robust;
   needs more cases to confirm




- Ensemble spread in 2mTemp is negligible before noon,
- Small spread for 2 m Temp when rain started!






Experiments show negligible impact on 2 m TEMP.





Moisture spread present from initialization; rain timing isn't the driver.



- Early spread cancels in the ensemble mean; the remaining signal follows precipitation,
  - SPPInd is higher—consistent with the hourly precipitation map



# SPP in ICON



# **Summary**

- → SPG Implementation is done by Axel Seifert (since June2025 is merged in ICON-Master),
- → SPP Implementation has been tested for 3 parameters (sed. vel. graupel, rdepths and cr\_bsmin) and multiSPP (rdepths & cr\_bsmin) successfully with ICON-LAM.
  - Initial tests confirm expected behavior of the SPP scheme
  - Findings motivate the need for additional cases to ensure robustness

#### Outlook

#### Implementation:

- More case studies
- Test other physical uncertain parameters
- Multi-parameter perturbation
- Nest: First test uncoupled at 500 m resolution, then fully coupled with SPP.

#### Benchmarking:

- Tuning SPG in ICON-LAM-D2: Optimize values for SPG parameters (e.g., length scale, wave mode, temporal scale) for perturbing physical parameters.
- Refining SPP for Higher Resolution: Focus on 1 km resolution for the GLORI Alpine region.



# SPP in ICON



# **Summary**

- → SPG Implementation is done by Axel Seifert (since June2025 is merged in ICON-Master),
- → SPP Implementation has been tested for 3 parameters (sed. vel. graupel, rdepths and cr\_bsmin) and multiSPP (rdepths & cr\_bsmin) successfully with ICON-LAM.
  - Initial tests confirm expected behavior of the SPP scheme
  - Findings motivate the need for additional cases to ensure robustness

Thank you!

#### **Outlook**

#### Implementation:

- More case studies
- Test other physical uncertain parameters
- Multi-parameter perturbation
- Nest: First test uncoupled at 500 m resolution, then fully coupled with SPP.

#### Benchmarking:


- Tuning SPG in ICON-LAM-D2: Optimize values for SPG parameters (e.g., length scale, wave mode, temporal scale) for perturbing physical parameters.
- Refining SPP for Higher Resolution: Focus on 1 km resolution for the GLORI Alpine region.





# Backup slides







Ref: Ollinaho et. al. 2016, and Frogner et al. 2021


# **SPP in ICON implemented by Axel Seifert and Maleen Hanst**




## SPP properties:

- Fourier Series vs. Lagandre Polynomial
- Pattern length scale = 50km
- Pattern time scale = 1 hour
- Pattern modes = 50
- Pattern variance = 0.1








#### Sensitivity tests for SPP variance


The model shows numerical instability with higher values of SPP variance:

- SPP variance = 1.0 : Model crashed
- SPP variance = 0.5 : Model crashed
- SPP variance = < 0.4 : Model ran successfully





















coupled SPP

uncoupled SPP

#### **EXPERIMENTS SETUP**

Deutscher Wetterdienst
Wetter und Klima aus einer Hand


Two-way nestir	1
----------------	---


Forecast duration

Forecast restart

Ensemble members

Horizontal grid resolution	2km (ICON-D2), 1km (TeamX)
----------------------------	----------------------------





#### LAT-BC Forecasts (ICON-EU)

# Perturbed initial conditions KENDA (ICON-D2-EPS)

# 24h starting on 2022062100

#### 6h


20

## Microphysics 1mom or 2mom

# Turbulence TURBDIFF

# Land TERRA

## Standard operational model perturbations



Nest domain

1km horizontal resolution



# Classical parameter perturbation (CPP):

 Bacy → EPS run with 2 nests: 2km, 1km, 0.5km



# Case study

- → 20th June 2024
- $\rightarrow$  24h fc
- → 2 nests over Alps (teamx)
- → 6 ensemble members


Total precipitation → Deterministic fc at 18UTC for ICON-2, 1km, 0.5km






# Total precipitation → Deterministic fc at 18UTC for |48°N

# Radar German composite: ICON-D2





R19B07

- 90 - 85 - 80

- 75 - 70

- 65

00 -(kg m-2)

- 35

- 30 - 25

- 20





# Classical parameter perturbation (CPP):

 Bacy → EPS run with 2 nests: 2km, 1km, 0.5km



# Case study

- → 20th June 2024
- → 24h fc
- → 2 nests over Alps (teamx)
- → 6 ensemble members

Total precipitation → Deterministic fc at 18UTC for ICON-2, 1km, 0.5km



Total precipitation → EPS fc at 18UTC for ICON-2, 1km, 0.5km



