



VEG3D - Overview



Institute for Meteorology and Climate Research -Troposphere Research

Marcus Breil
Institute of Meteorology and Climate Research,
Karlsruhe Institute of Technology (KIT)


New root profiles in VEG3D



New root profiles in VEG3D



VEG3D vs. TERRA





- spatial differences in precipitation sums between VEG3D and TERRA
- Soil-vegetation-atmosphere interactions affect development of convective processes
- improve convective variance by stochastical variation of the CAPE
- improve convective processes by stochastic soil and vegetation parameterizations?

Stochastic soil and vegetation parameterization





- Random number generator
→ random variation of parameters in a useful range
- Identify sensitive parameters
- Stand-alone simulations with VEG3D:
→ Lindenberg
→ year 2008
→ observational and simulated
(TERRA) data for validation and
comparison







Sensitive parameters







Sensitive parameters





Sensitive parameters





Sensitive parameters





Sensitive parameters



Plant cover, LAI, stomatal resistance,
displacement height, hydraulic conductivity,
albedo



Seasonal cycle at Lindenberg



Outlook

- Implement stochastic parameterizations in the coupled model
- Further use of VEG3D in MiKlip2
- Further investigate the impact of the new root profiles
- Rewriting and restructuring of VEG3D
 - COSMO coding standards
 - available part of the Unified OASIS Interface